INDEX TO VOLUME XXVI

A

Aberdeen, mortality in young children in, 1900-1949, 399
Abortion, Swedish law of, 100
Abscess, tuberculous, ischio-rectal, and primary pulmonary tuberculous complex in infant, 84
Acini of pancreas, cystic lesions of, relationship to age, cause of death, and fibrocystic disease in children, 570
Acrodynia, follow-up of 200 cases, 273
Adrenal cortex, histology of, 53
—— ——, insufficiency with adrenal hyperplasia, 52
—— hyperplasia, foetal, 423
—— —— with adrenal cortical insufficiency, 52
African children, 119
—— ——, congenital toxoplasmosis in, 258
Age, relationship of cystic lesions of acini of pancreas to, 570
ÅKERRÉN, Y.: Physiological hyperbilirubinaemia in newborn and reservoir function of spleen, 106
Alimentary lesion in anaphylactoid purpura, 20
Amino-acid excretion of infant, influence of differences in food of, 272
Anaemia, Cooley's, in Maltese child, 231
——, ——, in Sinhalese children, 224
——, Fanconi's, 238
——, Mediterranean, development of, 235
Animals, newborn, water metabolism of, 195
Aortic valves, involvement of, in subacute endocarditis, 249
APLEY, J., *see* NAISH, J. M., and APLEY, J.
Asphyxia neonatorum, treatment of, by electrical stimulation of phrenic nerve, 273

B

BALF, C. L.: Alimentary lesion in anaphylactoid purpura, 20
BALLARD, C. F., *see* BRAND, T. A., and BALLARD, C. F.
BANTON, A. H.: Development of Mediterranean anaemia, 235
BEARE, J. M., and CHEESEMAN, E. A.: Localized outbreak of tinea capitis in Northern Ireland, 149
BEET, E. A.: Observations on African children, 119
BEUTYMAN, W.: Case of Fanconi's anaemia, 238
BEVIS, D. C. A., and SCHOFIELD, S. F.: Renal function of infants delivered of toxaemic mothers, 109
BEYNON, D. W.: *see* WYLLIE, W. G., PAYNE, W. W., and BEYNON, D. W.
Bile pigments in stools of infants, 86
Bilirubin in stools of infants, 86
Bircher-Benner diet in treatment of coeliac disease, 4
Birth rate in Sweden, declining, 97
—— —— —— ——, social and economic factors influencing, 104
BLACK, J. A.: Further technical problems in metabolic investigations in childhood, 618
Blood sugar level in haemolytic disease of newborn, 272
BODIAN, M., *see* WYLLIE, W. G., BODIAN, M., and BURROWS, N. F. E.
Bone defects in gargoylism, 555
Bones, long, of newborn infants, radiological 'double contour' effect in, 543
BOOK REVIEWS: BREEN, G.: Fevers for nurses, 1950, 96; LOVELY, E. M.: Nursing of sick children, 1951, 96; MORLEY, M. E.: Cleft palate and speech, 2nd edit., 1951, 194; Year book of pediatrics, 1950, 96
Brain, congenital hemiatrophy of, 608
BRAND, T. A., and BALLARD, C. F.: Primary tuberculosis of gum, 261
BRIGGS, J. N., and DOXIADIS, S. A.: Q-T interval in rheumatic fever, 311
BRIMBLECOMBE, F. S. W., CROME, L., and TIZARD, J. P. M.: Oil aspiration pneumonia in infancy, 141
British Congress of Obstetrics and Gynaecology, 13th, 1952, announcement of, 96
British Paediatric Association, Memorandum on care of premature babies in urban and rural areas, 276
—— —— ——, Report of Executive Committee, 1950-51, 270
—— —— ——, —— on Training of Paediatric Consultants, 362
—— —— ——, 22nd General Meeting, Proceedings, 270
Bronchiectasis, congenital factor in, 253
——, healing of, 274
BROWN, R. J. K., and SMITH, S. R. N.: Gangrene of forearm in newborn, 574
BROWNE, D.: Lymphangioma, 275
Brushfield's spots, significance in diagnosis of mongolism in infancy, 495
BURROWS, N. F. E., *see* WYLLIE, W. G., BODIAN, M., and BURROWS, N. F. E.

C

CAIRNS, Sir H.: Neurosurgical methods in treatment of tuberculous meningitis, 373
Calcium content of foetus, 208
CARTER, C. O., and SAVAGE, T. R.: Pyloric stenosis in first cousins, 50
——, *see* POWELL, B. W., and CARTER, C. O.
CARTER, R. E. B., and WATERSTON, D.: Treatment of patent ductus arteriosus in infants under age of 5 years, 272
Cells, inclusion disease in childhood, 588
Cerebral palsy, 387
—— ——, conservative treatment of, assessment of results in, 92
Cerebrospinal fluid circulation in tuberculous meningitis in children. II. Review of pneumoencephalograms, 28
Chemical development *in utero*, 205
CHEESEMAN, E. A., *see* BEARE, J. M., and CHEESEMAN, E. A.
Chloride content of women's milk, 265, 320, 325, 329
Cisterna interpeduncularis, intubation of, in tuberculous meningitis, 379
CLARK, N. S.: Familial renal insufficiency, 351
Coeliac disease, dietetic approach to, 4
—— ——, excretion of fat in, 274
—— ——, glucose absorption in, 446
Cold agglutinins and virus particles in children, 603
COLLIS, W. R. F., and O'DONNELL, M.: Cerebral palsy, 387
Consultants, paediatric, training of, 362
Convulsions in childhood, 441
CONWAY, D. J.: Congenital factor in bronchiectasis, 253
——: Origin of lung cysts in childhood, 504

Cooley's anaemia in Maltese child, 231
—— —— in Sinhalese children, 224
Coordination in newborn, 481
Copper content of foetus, 209
CRAIG, J.: Mortality in young children in Aberdeen, 1900-1949, 399
CROME, L.: Congenital hemiatrophy of brain, 608
——, *see also* BRIMBLECOMBE, F. S. W., CROME, L., and TIZARD, J. P. M.
CROSLAND, J. H.: Assessment of results in conservative treatment of cerebral palsy, 92
CROSS, K. W.: Treatment of asphyxia neonatorum by electrical stimulation of phrenic nerve, 273
Cyst, enterogenous, causing congenital intestinal obstruction, 62

D

DAVENPORT, M. E., *see* FELDMAN, N., and DAVENPORT, M. E.
Death, cause of, relationship of cystic lesions of acini of pancreas to, 570
Diencephalic syndrome of emaciation in infancy and childhood, 274
Diet in treatment of coeliac disease, 4
DOXIADIS, S. A., *see* BRIGGS, J. N., and DOXIADIS, S. A.
Ductus arteriosus, aneurysm of, and umbilical haemorrhage in newborn, 169
—— ——, patent, in infants, treatment of, 272
Dundee, incidence of pyloric stenosis in, 616
DUNN, H. G.: Gangrenous purpura and its occurrence in meningococcal septicaemia, 184

E

Electrical conductivity and chloride content of women's milk, 265, 320, 325, 329
Electrocardiogram, Q-T interval in rheumatic fever, 311
——, serial, in rheumatic fever, 315
ELLIS, R. W. B., and LAWLEY, D. N.: Assessment of prematurity by birth weight, crown-rump length and head circumference, 411
Emaciation, diencephalic syndrome of, in infancy and childhood, 274
EMERY, J. L.: Cardiac concentric hypertrophy in children with hydrocephalus due to tuberculous meningitis, 245
——: Relationship of cystic lesions of acini of pancreas to age, cause of death, and fibrocystic disease in children, 570
——, and ILLINGWORTH, R. S.: Congenital mitral stenosis, 304
Endocarditis, subacute bacterial, in young child, 249
——, —— ——, incidence of, in children, 249
——, —— ——, relation of congenital heart disease to, 249
Enterogenous cyst causing intestinal obstruction, 62
Eosinophilia, tropical, and acute nephritis, 301
Epilepsy in childhood, 441
—— in mongolism, 501
Erythrocyte count, postnatal fall in, hepatic haemopoiesis in relation to, 71
Erythropoiesis in infancy, 274

F

Faeces of infants, bile pigments in, 86
Fanconi's anaemia, 238
Fat content of foetus, 206
—— excretion in coeliac disease, 274
—— necrosis, subcutaneous, localized, with radial nerve palsy, 436
—— ——, ——, of newborn, 89
FELDMAN, N., and DAVENPORT, M. E.: Osteochondrodystrophia deformans (Morquio Brailsford disease), 279
Fibrocystic disease in children, relationship of cystic lesions of acini of pancreas to, 570
FILM REVIEW: U.N.E.S.C.O. and W.H.O. Child Welfare Films, 1950, 194
Finger tips, red, in neonatal period, 273
Foetus, chemical composition of, 206
——, —— development of, 205
——, haemopoiesis and siderosis in, 64
——, iodine content of thyroid of, 211
Food, differences in, influence on amino-acid excretion of infant, 272
FORD, F. J.: Red finger tips in neonatal period, 273
Forearm, gangrene of, in newborn, 574
FORSHALL, I., RICKHAM, P. P., and MOSSMAN, D. B.: Functional intestinal obstruction in newborn, 294
FORSYTH, C. C., UCHIDA, I.: Auricular septal defect in one of monozygotic twins, 582
FRANCE, N. E.: Inclusion disease in childhood, 588
——, and NEILL, C. A.: Adrenal hyperplasia with adrenal cortical insufficiency, 52
FRANKLIN, A. W.: Handlist of writings of Sir Robert Hutchison, 469

G

GAIRDNER, D.: Erythropoiesis in infancy, 274
Galactosuria, familial, 271
Gangrene of forearm in newborn, 574
Gangrenous purpura, aetiology of, 187
—— —— and its occurrence in meningococcal septicaemia, 184
—— ——, relation to purpura fulminans, 188
GANS, B.: Serial electrocardiograms in rheumatic fever, 315
——: Tuberculous ischio-rectal abscess and primary pulmonary tuberculous complex in infant, 84
Gargoylism, clinical features, diagnosis, and osseous lesions of, 549
—— in three siblings, 549
GERRARD, J.: Blood sugar level in haemolytic disease of newborn, 272
Gingiva, primary tuberculosis of, 261
Glucose absorption in coeliac disease, 446
Glutamic acid, effect on phenylketonuria, 492
GORTER, E.: Familial galactosuria, 271
Grasp reflex in newborn, 480
Growing pains, 134
Gum, primary tuberculosis of, 261

H

Haemolytic disease of newborn, blood sugar level in, 272
Haemopoiesis, hepatic, in relation to postnatal fall in erythrocyte count, 71
—— in foetus and newborn, 64
Haemorrhage, umbilical, and aneurysm of ductus arteriosus in newborn, 169
HANCOX, N. M., *et al.*: Radiological 'double contour' effect in long bones of newly born infants, 543
HARRIS, C. F., and SCOWEN, E. F.: Foetal adrenal hyperplasia, 423
HAY, J. D., *see* HANCOX, N. M., *et al.*
Heart, auricular septal defect, in one of monozygotic twins, 582
——, concentric hypertrophy of, in children with hydrocephalus due to tuberculous meningitis, 245
—— disease, congenital, relationship to subacute bacterial endocarditis, 249
——, mitral stenosis, congenital, 304
——, Q-T interval in rheumatic fever, 311
——, sarcoma of, in child, 308
——, tuberculous pericarditis, 78
HELLER, H.: Water metabolism of newborn infants and animals, 195
Hemihypertrophy, congenital with lymphangioma, 158

Heparin, post-operative, after nephrectomy for unilateral renal vein thrombosis, 358
Hernia, congenital diaphragmatic, associated with perforated peptic ulcer in mongoloid infant, 566
——, hiatus, treatment of, 275
HOLDEN, W. S., *see* HANCOX, N. M., *et al.*
HOLZEAL, A.: Follow-up of 200 cases of pink disease, 273
——: Subcutaneous fat necrosis of newborn, 89
HUBBLE, D.: Hypopituitarism in first cousins, 530
——: Phaeochromocytomata in children, 340
HUININK, A. ten B.: Excretion of fat in coeliac disease, 274
HUNTER, D.: Sayings of Robert Hutchison, 467
Hutchison, Sir Robert, at the Hospital for Sick Children, Great Ormond Street, 365
——, —— ——, at the London Hospital, 367, 369
——, —— ——, handlist of writings of, 469
——, —— ——, portrait, facing 365
——, —— ——, sayings of, 467
Hydrocephalus due to tuberculous meningitis, cardiac concentric hypertrophy in children with, 245
Hyperbilirubinaemia, neonatal, 73
——, physiological, in newborn, 106
Hyperoxia, effect on respiration of newborn, 273
Hypopituitarism in first cousins, 530
Hypoxia, effect on respiration of newborn, 273
HYTTEN, F. E.: Observations on vitality of newborn, 477

I

ILLINGWORTH, R. S., *see* EMERY, J. L., and ILLINGWORTH, R. S.
Inclusion disease in childhood, 588
Infants, amino-acid excretion of, influence of differences in food on, 272
——, bile pigments in stools of, 86
——, mortality rate in Sweden, 102
——, newborn, acholuric jaundice in, 241
——, ——, aneurysm of ductus arteriosus and umbilical haemorrhage in, 169
——, ——, asphyxia, treatment by electrical stimulation of phrenic nerve, 273
——, ——, atresia of small intestine in, 166
——, ——, chemical composition of, 206
——, ——, effects of hypoxia and hyperoxia on respiration of, 273
——, ——, functional intestinal obstruction in, 294
——, ——, gangrene of forearm in, 574
——, ——, haemolytic disease in, blood sugar level, 272
——, ——, haemopoiesis and siderosis in, 64
——, ——, hyperbilirubinaemia in, 73
——, ——, ——, physiological, in, 106
——, ——, radial nerve palsy with localized subcutaneous fat necrosis in, 436
——, ——, radiological 'double contour' effect in long bones of, 543
——, ——, red finger tips in, 273
——, ——, subcutaneous fat necrosis of, 89
——, ——, unfed, volume and acidity of gastric contents in, 558
——, ——, vitality of, 477
——, ——, water metabolism of, 195
——, premature, care of, in urban and rural areas, 276
——, thrombocytopenia in, 175
International Congress of Pediatrics, 6th, Zurich 1950, Transactions of, 96
Intestinal lesions in anaphylactoid purpura, 20
—— obstruction, congenital, caused by enterogenous cyst, 62
—— ——, functional, in newborn, 294
—— —— with fibrocystic disease of pancreas, 335
—— pneumatosis in infants, 164
Intestine, small, atresia of, in newborn, 166
Intracranial pressure, raised, relief of, in tuberculous meningitis, 377
Iodine content of thyroid of foetus, 211
Ireland, Northern, localized outbreak of tinea capitis in, 149
Iris, Brushfield's spots on, significance in diagnosis of mongolism in infancy, 495
Iron content of foetus, 209
——, visible, in liver and spleen in infants, 68
Ischio-rectal abscess, tuberculous, and primary pulmonary tuberculous complex in infant, 84

J

JACKSON, W. P. U.: Clinical features, diagnosis, and osseous lesions of gargoylism exemplified in three siblings, 549
Jaundice, acholuric, in newborn, 241
Jejunum, congenital complete atresia of, 166
——, enterogenous cyst of, causing congenital intestinal obstruction, 62
JELLIFFE, D. B.: Congenital toxoplasmosis in an African child, 258
JONES, A. G. M.-, *see* MAITLAND-JONES, A. G.
JONXIS, J. H. P.: Influence of differences in food on amino-acid excretion of infant, 272

K

KEMPTON, J. J. and LATTO, C.: Neurofibromatosis presenting as macroglossia, 76
KERMACK, W. O., and MILLER, R. A.: Electrical conductivity and chloride content of women's milk. I. Methods and practical application, 265; II. Effect of factors relating to lactation, 320; III. Relationship to adequacy of lactation, 325; IV. Results and their relationship to milk yield, 329
Kernicterus associated with haemolytic disease of newborn, 272
Kidneys, function in infants delivered of toxaemic mothers, 109
——, insufficiency, familial, 351
——, renal vein thrombosis, unilateral, treated by nephrectomy and postoperative heparin, 358
——, siderosis of, 72
KIRMAN, B. H.: Epilepsy in mongolism, 501

L

Lactation, adequacy of, relationship of electrical conductivity and chloride content of women's milk to, 325
——, duration of, relationship to electrical conductivity and chloride content of milk, 329
——, effect of factors relating to, on electrical conductivity and chloride content of women's milk, 320
Lala children, 119
LANGLEY, F. A.: Haemopoiesis and siderosis in foetus and newborn, 64
LATTO, C., *see* KEMPTON, J. J. and LATTO, C.
LAURANCE, B.: Subacute bacterial endocarditis in young child, 249
LAWLEY, D. N., *see* ELLIS, R. W. B., and LAWLEY, D. N.
LAWSON, D.: Incidence of pyloric stenosis in Dundee, 609
LENNOX, B., and MACCARTHY, D.: Aneurysm of ductus arteriosus and umbilical haemorrhage in newborn, 169
Letterer-Siwe disease, familial incidence of, 578
LEVY, E.: Case of fibrocystic disease of pancreas with intestinal obstruction, 335
——, *see also* REESE, A. J. M., and LEVY, E.
LIGHTWOOD, R.: Radial nerve palsy associated with localized subcutaneous fat necrosis in newborn, 436
Limb pains in children, incidence of, 138
—— ——, non-arthritic, 134
—— ——, ——, in children, aetiology of, 139

Liver, siderosis of, 72
——, time of disappearance of haemopoietic tissue from, 67
——, visible iron in, in infants, 68
LORBER, J.: Studies of cerebrospinal fluid circulation in tuberculous meningitis in children. II. Review of 100 pneumoencephalograms, 28
Lung cysts in childhood, origin of, 504
—— ——, multiple honeycomb, 524
—— ——, traumatic, 525
Lymphangioma, 275
—— with congenital hemihypertrophy, 158

M

MACAULAY, D.: Acholuric jaundice in newborn, 241
——: Diagnosis of virus pneumonia in infants and children, 601
——: Obesity in child, 539
MACCARTHY, D., *see* LENNOX, B., and MACCARTHY, D.
MACGREGOR, A. R., *see* STEWART, A. M., and MACGREGOR, A. R.
MACKAY, R. I.: Congenital myasthenia gravis, 289
MACMAHON, A., *see* SHELDON, W., and MACMAHON, A.
Macroglossia, neurofibromatosis presenting as, 76
Magnesium content of foetus, 208
MAITLAND-JONES, A. G.: Sir Robert Hutchison at the London Hospital, 367
Maltese child, Cooley's anaemia in, 231
Mediterranean anaemia, development of, 235
Meningitis, tuberculous, hydrocephalus due to, cardiac concentric hypertrophy in children with, 245
——, ——, in children, cerebrospinal circulation in. II. Review of 100 pneumoencephalograms, 28
——, ——, neurosurgical methods in treatment of, 373
——, ——, unusual manifestations of, 373
Meningococcal septicaemia, occurrence of gangrenous purpura in, 184
Metabolical investigations in childhood, technical problems in, 618
Microsporon audouini, tinea capitis due to, localized outbreak in Northern Ireland, 149
Milk bank, human, 452
——, women's, electrical conductivity and chloride content, 265, 320, 325, 329
—— yield, relationship to electrical conductivity and chloride content of milk, 329
MILLER, R. A., *see* KERMACK, W. O., and MILLER, R. A.
Mitral stenosis, congenital, 304
MONCRIEFF, A.: Recurrent neutropenia, 438
Mongolism, epilepsy in, 501
—— in infancy, significance of Brushfield's spots in diagnosis of, 495
Mongoloid infant, perforated peptic ulcer associated with congenital diaphragmatic hernia in, 566
MOONEY, F. S.: Cooley's anaemia in Maltese child, 231
Morquio Brailsford disease, 279
Mortality in young children in Aberdeen, 1900-1949, 399
MOSS, P. D., *see* HANCOX, N. M., *et al.*
MOSSMAN, D. B., *see* FORSHALL, I., RICKHAM, P. P., and MOSSMAN, D. B.
Muscular power in newborn, 481
Myasthenia gravis, congenital, 289
—— —— in children, 457
Myositis fibrosa generalisata, 215

N

NAISH, J. M., and APLEY, J.: 'Growing pains,' 134
Necrosis, fat, subcutaneous, of newborn, 89
NEILL, C. A., *see* FRANCE, N. E., and NEILL, C. A.
NELIGAN, G. A.: Non-tuberculous osteitis of spine, 275
Nephrectomy in treatment of unilateral renal vein thrombosis, 358
Nephritis, acute, and tropical eosinophilia, 301
Neurofibromatosis presenting as macroglossia, 76
Neutropenia, recurrent, 438
Newborn, acholuric jaundice in, 241
——, aneurysm of ductus arteriosus and umbilical haemorrhage in, 169
——, asphyxia of, treatment by electrical stimulation of phrenic nerve, 273
——, atresia of small intestine, 166
——, effect of hypoxia and hyperoxia on respiration of, 273
——, chemical composition of, 206
——, functional intestinal obstruction in, 294
——, gangrene of forearm in, 574
——, haemolytic disease of, blood sugar level in, 272
——, haemopoiesis and siderosis in, 64
——, hyperbilirubinaemia, 73
—— infants and animals, water metabolism of, 195
——, physiological hyperbilirubinaemia in, 106
——, radial nerve palsy with localized subcutaneous fat necrosis in, 436
——, radiological 'double contour' effect in long bones of, 543
——, red finger tips in, 273
——, subcutaneous fat necrosis of, 89
——, thrombocytopenia in, 175
——, unfed, volume and acidity of gastric contents in, 558
——, vitality of, 477
Northern Rhodesia, children in, 119
Northern Ireland, localized outbreak of tinea capitis in, 149

O

Obesity in child, 539
Obituary: Sir Leonard Gregory Parsons, 1
O'DONNELL, M., *see* COLLIS, W. R. F., and O'DONNELL, M.
Oil aspiration pneumonia in infancy, 141
OPPÉ, T. E.: Effect of hypoxia and hyperoxia on respiration of newborn, 273
Osteochondrodystrophia deformans, 279
Oxygen concentrations, differing, effects on respiration of newborn, 273

P

Paediatric consultants, training of, 362
Pains, growing, 134
Palsy, cerebral, 387
——, ——, conservative treatment of, assessment of results in, 92
——, radial nerve, with localized subcutaneous fat necrosis in newborn, 436
Pancreas, acini of, cystic lesions of, relationship to age, cause of death, and fibrocystic disease in children, 570
——, fibrocystic disease of, with intestinal obstruction, 335
PARRY, E. E.: Unilateral renal vein thrombosis treated by nephrectomy and post-operative heparin, 358
PARRY, E. W.: Enterogenous cyst causing intestinal obstruction, 62
Parsons, Sir Leonard Gregory; obituary, 1
PATERSON, D.: Convulsions in childhood, 441
PAYNE, W. W., *see* WYLLIE, W. G., PAYNE, W. W., and BEYNON, D. W.
Penicillin in treatment of pneumonia, 602
Peptic ulcer, perforated, in mongoloid infant associated with congenital diaphragmatic hernia, 566
Pericarditis, tuberculous, 78
Phaeochromocytomata in children, 340
Phenylketonuria, 487
——, effect of glutamic acid on, 492

Phenylpyruvic acid, urine test for, 488
Phosphorus content of foetus, 208
Phrenic nerve, electrical stimulation of, in treatment of asphyxia neonatorum, 273
PICKUP, J. D., and RILEY, I. D.: Case of tropical eosinophilia and acute nephritis, 301
PILCHER, R. S.: Treatment of hiatus hernia, 275
Pink disease, follow-up of 200 cases, 273
Placenta, composition of, 211
Pneumatosis, intestinal, in infants, 164
Pneumoencephalograms in tuberculous meningitis in children, 28
Pneumonia, oil aspiration, in infancy, 141
——, virus, diagnosis of, in infants and children, 601
——, ——, response to chemotherapy, 602
PORTER, L.: Robert Hutchison at the London Hospital circa 1900: reminiscences of a clinical clerk, 369
Potassium content of foetus, 207
POWELL, B. W., and CARTER, C. O.: Pyloric stenosis in twins, 45
Premature babies, care of, in urban and rural areas, 276
Prematurity, assessment of, by birth weight, crown-rump length and head circumference, 411
Protein content of foetus, 206
Pulmonary tuberculosis, primary, and tuberculous ischio-rectal abscess in infant, 84
Purpura, anaphylactoid, alimentary lesion in, 20
——, ——, vascular lesion in, 25
—— fulminans, relation to gangrenous purpura, 188
——, gangrenous, aetiology of, 187
——, ——, and fulminans, relationship of, 188
——, ——, and its occurrence in meningococcal septicaemia, 184
——, thrombocytopenic, congenital and neonatal, 175
Pyloric stenosis in four first cousins, 50
—— —— in twins, 45, 50
—— ——, incidence in Dundee, 616

R

Racially unfit, problem of, in Sweden, 101
Radial nerve palsy associated with localized subcutaneous fat necrosis in newborn, 436
Recession, haemopoietic, 65
REESE, A. J. M., and LEVY, E.: Familial incidence of non-lipoid reticuloendotheliosis, 578
Renal vein thrombosis, unilateral, treated by nephrectomy and post-operative heparin, 358
Respiration of newborn, effect of hypoxia and hyperoxia on, 273
Reticulo-endotheliosis, non-lipoid, familial incidence of, 578
Rheumatic fever, Q-T interval in, 311
—— ——, serial electrocardiograms in, 315
Rhodesia, Northern, children in, 119
RICKMAN, P. P., *see* FORSHALL, I., RICKHAM, P. P., and MOSSMAN, D. B.
RILEY, I. D., *see* PICKUP, J. D., and RILEY, I. D.
ROBERTS, E. G. G., and SEAL, R. M. E.: Sarcoma of heart in child, 308
ROBSON, H. N., and WALKER, C. H. M.: Congenital and neonatal thrombocytopenic purpura, 175
ROGERSON, M. M., *see* SPENCER, R., and ROGERSON, M. M.
RUSSELL, A.: Diencephalic syndrome of emaciation in infancy and childhood, 274

S

Sarcoma of heart in child, 308
SAVAGE, T. R., *see* CARTER, C. O., and SAVAGE, T. R.
SCHOFIELD, S. F., *see* BEVIS, D. C. A., and SCHOFIELD, S. F.
SCOWEN, E. F., *see* HARRIS, C. F., and SCOWEN, E. F.
SEAL, R. M. E., *see* ROBERTS, E. G. G., and SEAL, R. M. E.
Septicaemia, meningococcal, occurrence of gangrenous purpura in, 184
SHELDON, W., and MACMAHON, A.: Studies in coeliac disease: glucose absorption, 446
Siderosis in foetus and newborn, 64
—— in malnutrition, 74
Sinhalese children, Cooley's anaemia in, 224
SLOOFF, J.: Healing of bronchiectasis, 274
DE SILVA, C. C., and WEERATUNGE, C. E. S.: Cooley's anaemia in Sinhalese children, 224
SMELLIE, J. M.: Sir Leonard Gregory Parsons; obituary, 1
SMITH, S. R. N., *see* BROWN, R. J. K., and SMITH, S. R. N.
Sodium content of foetus, 207
SPENCER, R., and ROGERSON, M. M. Perforated peptic ulcer in mongoloid infant associated with congenital diaphragmatic hernia, 566
Spine, osteitis of, non-tuberculous, 275
Spleen, physiological enlargement of, during neonatal period, 106
——, —— —— ——, nature and causes, 107
——, reservoir and haemolytic functions of, connexion between, 107
——, —— function of, 106
——, siderosis of, 72
——, visible iron in, in infants, 68
SPRAY, C. M., *see* WIDDOWSON, E. M., and SPRAY, C. M.
Stercobilin in stools of infants, 86
STEVENS, A. E.: Atresia of small intestine in newborn, 166
STEWART, A. M., and MACGREGOR, A. R.: Myositis fibrosa generalisata, 215
Stomach contents in unfed newborn infant, volume and acidity of, 558
Stools of infants, bile pigments in, 86
Streptomycin, intraventricular administration of, for spinal block, 373
Subcutaneous fat necrosis of newborn, 89
Subdural space, intubation of, in tuberculous meningitis, 379
Sucking reflex in newborn, 477
Sulphonamides in treatment of pneumonia, 602
Sweden, declining birth rate in, 97
—— infant mortality rate in, 102
——, law of abortion in, 100
——, problem of racially unfit, 101

T

TALLERMAN, K. H.: Sir Robert Hutchison, Bt., 365
THOMPSON, J.: Volume and acidity of gastric contents in unfed newborn infant, 558
Thrombocytopenia in newborn, pathogenesis of, 180
Thrombocytopenic purpura, congenital and neonatal, 175
Thyroid of foetus, iodine content of, 211
Tinea capitis due to *M. audouini*, localized outbreak in Northern Ireland, 149
TIZARD, J. P. M., *see* BRIMBLECOMBE, F. S. W., CROME, L., and TIZARD, J. P. M.
TODD, R. McL.: Tuberculous pericarditis, 78
Toxaemic mothers, renal function of infants delivered of, 109
Toxoplasmosis, congenital, in African child, 258
Tuberculosis, primary, cause and sequelae of intra-pulmonary shadows in, 275
——, ——, of gum, 261
——, pulmonary, primary, and tuberculous ischio-rectal abscess in infant, 84
Tuberculous abscess, ischio-rectal, and primary pulmonary tuberculous complex in infant, 84
—— meningitis, neurosurgical methods in treatment of, 373
—— ——, unusual manifestations of, 373
Twins, classification of, 48
——, monozygotic, auricular septal defect in one of, 582
—, pyloric stenosis in, 45, 50

U

UCHIDA, I., *see* FORSYTH, C. C., and UCHIDA, I.
Ulcer, peptic, perforated, in mongoloid infant associated with congenital diaphragmatic hernia, 566
Umbilicus, haemorrhage from, and aneurysm of ductus arteriosus in newborn, 169
Unfit, racially, problem of, in Sweden, 101
Urethra, posterior, congenital obstruction of, 162
Urine collection from infants, 618
—— test for phenylpyruvic acid, 488

V

VEENEKLAS, G. M. H.: Cause and sequelae of intrapulmonary shadows in primary tuberculosis, 275
Virus particles and cold agglutinins in children, 603
VULLIAMY, D. G., *see* WOOLF, L. I., and VULLIAMY, D. G.

W

WAINWRIGHT, J.: Congenital obstruction of posterior urethra, 162
——: Intestinal pneumatosis in infants, 164
WALKER, C. H. M., *see* ROBSON, H. N., and WALKER, C. H. M.
WALLGREN, A.: Declining birth rate in Sweden, 97
WALLIS, H. R. E.: Significance of Brushfield's spots in diagnosis of mongolism in infancy, 495
Water content of foetus, 206
—— metabolism of newborn infants and animals, 195
WATERSTON, D., *see* CARTER, R. E. B., and WATERSTON, D.
WEERATUNGE, C. E. S., *see* DE SILVA, C. C., and WEERATUNGE, C. E. S.
WELLER, S. D. V.: Bile pigments in stools of infants, 86
WHITEHEAD, A. S., *see* HANCOX, N. M., *et al.*
WIDDOWSON, E. M., and SPRAY, C. M.: Chemical development *in utero*, 205
WILLIAMS, J. A.: Congenital hemihypertrophy with lymphangioma, 158
WILSON, J. G.: Random reflections on a human milk bank, 452
WOOLF, L. I., and VULLIAMY, D. G.: Phenylketonuria and effect upon it of glutamic acid, 487
WYLLIE, W. G., BODIAN, M., and BURROWS, N. F. E.: Myasthenia gravis in children, 457
——, PAYNE, W. W., and BEYNON, D. W.: Dietetic approach to the coeliac affection, 4

Z

Zinc content of foetus, 209